





FIG. 1










F1G. 4






F1G. 6







F1G. 9




FIG. 10

TOKEN TYPE		WINDOW WINDOW WINDOW MENU MENU	WINDOW	WINDOW	WINDOW	GROUP	TEXT	TABLE	TABLE HEADER ITEM	TABLE DATA ITEM	TABLE ROW DELIMITER	LIST	LIST BI	LIST BUTTON IMAGE	MAGE
SCREEN	MAY CONTAIN	1 ONLY	1 ONLY			×	×	×				×		×	×
DIALOG	MAY CONTAIN	1 ONLY	1 ONLY			×	×	×				×		×	×
WINDOW MENU BAR	MAY CONTAIN			×											
WINDOW MENU	MAY CONTAIN			×	×					-					
GROUP	MAY CONTAIN			-		×	×	×			•	×		×	×
TEXT FIELD	MAY CONTAIN													×	×
TABLE	MAY CONTAIN								×	×	×				
TABLE HEADER ITEM	MAY CONTAIN						×							×	×
TABLE DATA ITEM	MAY CONTAIN						×							×	×
LIST	MAY CONTAIN											×	×	-	
LIST ITEM	MAY CONTAIN						×							×	×
FORCED BREAK	MAY BE USED IN						×		×	×			×	×	
CENTER	MAY MODIFY						×		×	×			×	×	×
LEFT	MAY MODIFY						×		X	×			×	×	×
RIGHT	MAY MODIFY						×		×	×			×	×	×
MONEY	MAY MODIFY						X		×	×			×	×	×
HIGHLIGHT	MAY MODIFY						×		×	×			×	×	×

FIG. 11

TAG						
ATTRIBUTE	TEMPLATE	STREAM	FULL TAG	ABBREVIATION DEFAULT	JLT TERMINATED	NOTES
SCREEN	×	×	< SCR> OR <dlg></dlg>		/DLG >	DLG IS A DIALOG BOX
Ω	×	×	ID = name			
BACKGROUND	×		BACKCOLOR = color	BC = color		
WINDOW TITLE	×	×	<wtitle></wtitle>		< WTITLE >	
Ω	×	×	ID = name			
MOVABLE	×		MOVE = [YN]	λ		
SIZABLE	×		SIZE = [WN]	λ		
CLOSABLE	×		CLOSE = [YNJ]	λ		
TITLE TEXT		×				
WINDOW MENU BAR	×	X	<unbww></unbww>			
Ω	×	×	ID = name			
WINDOW MENU		X	<\"\">		< ///>	
01		X	ID = name			
MENU TEXT		×				-
		·				
WINDOW MENU ITEM		×	<\M >		< /WI >	

EN = [T/F]

VALUE = n ENABLED = [TRUE\FALSE]

ID
VALUE
CHOICE ENABLED
MENU ITEM TEXT

ID = name

DOPLOSO. DECLOS

PHRASE PACK IS A STRUCTURE CONTAINING THE VARIOUS TEXT RENDERINGS ASSOCIATED WITH THE BUTTON IF NOT SPECIFIED, THESE ARE SET BY RENDERER IF NOT SPECIFIED, THESE ARE SET BY RENDERER CONTAINER: WHAT ELEMENTS
CAN BE CONTAINED NEEDS TO
BE DEFINED MENU BAR, BLACKBOX OR TRANSPARANT NOTES TERMINATED </TABLE> </TXT/> PER DATA PER DATA DEFAULT LEFT ABBREVIATION AL = [L/C/R] ST = style PP. L=text FC = color BC = color FN = font NC = n FS=n NR=n ALIGN=[LEFT\CENTER\ RIGHT] X=nY=nH=nW=n X=nY=nH=nW=n X=nY=nH=nW=n STYLE = known style FORECOLOR = color BACKCOLOR = color PP.LONG = text data FONT= font name NUMROWS = n FONTSIZE = n NUMCOLS = n < GROUP...> < TABLE... > FULL TAG ID = name ID = name ID = name < TXT > STREAM × × × × × × × × × TEMPLATE × × \times × \times FOREGROUND COLOR **BACKGROUND COLOR** OTHER ATTRIBUTES, BASED ON STYLE NUMBER OF ROWS ATTRIBUTE **TEXT ALIGNMENT** SIZE/POSITION SIZE/POSITION SIZE/POSITION PHRASE PACK **FONT STYLE** NUMBER OF COLUMNS **FONT SIZE** TEXT FIELD STYLE GROUP TABLE ₽ <u></u>

FIG. 12 TAG

FIG. 13

TAG								
ATTRIBUTE	TEMPLATE	STREAM	FULL TAG	ABBREVIATION	DEFAULT	TERMINATED	NOTES	
							-	
TABLE HEADER		×	~开"~			<th>, <td>, <tr>, OR </tr></td></th>	, <td>, <tr>, OR </tr></td>	, <tr>, OR </tr>

 HEADER INFO. (BOLD) || COLUMN SPAN | | × | COLSPAN = n | | 1 | | |
ROW SPAN		×	ROWSPAN = n		1						
ALIGNMENT		×	ALIGN=[LEFT\CENTER\ RIGHT]	AL = [L\C\R]	CENTER						
TABLE TEXT		×									
TABLE DATA		×				, ,	, OR				
ROW SPAN		×	COLSPAN = n		1						
ALIGNMENT		×	ROWSPAN = n		1						
TABLE TEXT		×	ALIGN=[LEFT\CENTER\ RIGHT]	AL = [L\C\R]	CENTER						
TABLE ROW		×								TERMINATES ROW	
LIST						< /LIST >					
QI)	×	×									
SIZE /POSITION	X		X=nY=nH=nW=n								
LIST TYPE		X									
OTHER ATTRIBUTES, DEPENDENT ON TYPE											
LIST ITEM			<[]>								
VALUE		Χ	VALUE = val	V=X							
SELECTED		Χ	SELECTED = [YES\NO]	SE=[Y/N]	S S						
LIST ITEM PHRASE PACK		X	PP. LONG = text data	PP. L = text			LONG OR SHORT FORMS				
FIG. 14

146		111111111111111111111111111111111111111	- 1	- AAT 1:11	NOITVINATION	DEFAI!! T	TERMINATED	NOTES
	AIIRIBOIE	ו בואור או	NI PENIM	200	NO IVA			
동	CHOICE	×	×	< BTN >			< CH >	
	<u>O</u>	×	×	ID = name				
	VALUE		×	VAL = character	V = char			
	HOTKEY	×		HOTKEY = key	HK = char			
	STYLE		×	STYLE = known style	ST = style			EXIT, CAT BUTTON, MENU BUTTON, TEXT BUTTON, ICON BUTTON
	ALIGNMENT		×	ALIGN = (LEFT\CENTER\ RIGHT)	AL = [L\C\R]	LEFT		
	SELECTED		×	SELECTED = [YESWO]	SE = [MN]	ON.		
	ENABLED		×	ENABLED = [TRUE\FALSE]	EN = [T/F]	TRUE		
	SIZE/POSITION	×		X=nY=nH=nW=n				
	ACTION		×	ACTION = [SUBMIT\ SELECTINXTFLD]	ACT = [SUB\ SEL\NXT]	SUBMIT		
	BUTTON PHRASE PACK		×				,	
	BUTTON IMAGE		×	BIMG = image file	-			ONLY FOR ICONBTN
	ADSI SOFT KEY		×	SOFTKEY = [TRUE\FALSE]	SOFT = [T/F]	FALSE		CHOICE SHOULD BE MAPPED TO SOFT KEY
\ \ 	VIRTUAL TERMINAL WINDOW	M		DETAILS TBD				
	<u>Q</u>	×	×					
	TYPE/PROTOCOL	×						
	SIZE/POSITION	×						
	DATA		×					
IMA	IMAGE			< IMG>				
	OI	X	X	ID = name	·			
	SIZE/POSITION	×		X=nY=nH=nW=n				
	IMAGE FILE		×	SCRC = Image file	-			

FIG. 15

TAG							
ATTRIBUTE	TEMPLATE STREAM	STREAM	FULL TAG	ABBREVIATION	DEFAULT	TERMINATED	NOTES
INPUT			< INPUT >			< /INPUT >	
Ω	×	×	ID = name				
SIZE/POSITION	×		X=nY=nH=nW=n				
DATA TYPE		×	TYPE = datatype	TY = dt			ALPHA, NUMERIC, PASSWORD, AMOUNT, ETC.
MAXIMUM LENGTH		×	MAXLEN = n	MAX = n	NONE		
MINIMOM LENGTH		×	MINLEN = n	MIN = n	0		
TAB ORDER		×	TABORDER = n	TAB=n			
STATUS BAR	×	×					
입	×	×					
OTHER TBD		×					
FORCED LINE BREAK		×	< BB >				
CENTER		×	< CENTER >	^ 0>		< /CENTER > OR < /C >	MODIFIES ALIGNMENT

MODIFIES ALIGNMENT
MODIFIES ALIGNMENT
MODIFIES STYLE
MODIFIES STYLE

</r>

\$ \$

<LEFT > < RIGHT >

MONEY FORMAT HIGHLIGHT

RIGHT

⟨用⟩

FIG. 16




FIG. 17

Θ	ত
FILE HELP	
OKAY, WHICH MA	Y I HELP YOU WITH?
(1) CASH*	(4) CREDIT CARDS
(2) SAVINGS & INVESTMENTS	(5) SUMMARY & SERVICE
(3) BORROWING AND LOANS	(6) CURRENT STOCK QUOTES
(0) MESSAGES (Y	OU HAVE NEW MAIL)